



**LANCASTER FIRE DEPARTMENT
OPERATIONAL PERMIT APPLICATION
FOR TIRE REBUILDING**



ANNUAL FEE: \$100

FOR OFFICE USE ONLY

Occupancy ID: _____ Invoice No.: _____ Processed By: _____

Date Paid: _____ Payment Type : _____ Account ID: _____ NEW RENEW

Date: _____

Business Name: _____

Physical Address: _____

Mailing Address: _____

Emergency Contact: _____ Phone No.: _____

Type of Business: _____ Square Footage of building or leased space: _____

Are you the (check one): Owner Renter Lessee

Property Owners Name: _____ Cell Phone: _____

Knox Box Location: _____ Building used as (check one): Industrial Commercial

3201.3 Construction documents:

At the time of application for a storage permit, plans and specifications shall be submitted for review and approval. In addition to the information required by the *International Building Code*, the storage permit submittal shall include the information specified in this section. Following approval of the plans, a copy of the *approved* plans shall be maintained on the premises in an *approved* location. The plans shall include the following:

1. Floor plan of the building showing locations and dimensions of *tire rebuild area*.
2. Number of tiers within each rack, if applicable.
3. Commodity clearance between top of storage and the sprinkler deflector for each storage arrangement.
4. Aisle dimensions between each storage array.
5. Maximum pile volume for each storage array.
6. Location and classification of commodities in accordance with Section 3203.
7. Location of required Fire Department access doors.
8. Type of fire suppression and fire detection systems.
9. Type, location and specifications of smoke removal and curtain board systems.

10. Dimension and location of transverse and longitudinal flue spaces.
11. Additional information regarding required design features, commodities, storage arrangement and fire protection features within the high-piled storage area shall be provided at the time of permit, when required by the *fire code official*.

3201.4 Evacuation plan:

An evacuation plan for public accessible areas and a separate set of plans indicating location and width of *aisles*, location of *exits*, *exit access* doors, *exit* signs, height of storage, and locations of hazardous materials shall be submitted at the time of permit application for review and approval. Following approval of the plans, a copy of the *approved* plans shall be maintained on the premises in an *approved* location.

HOUSEKEEPING AND MAINTENANCE

3205.1 Rack structures:

The structural integrity of racks shall be maintained.

3205.2 Ignition sources:

Clearance from ignition sources shall be provided in accordance with Section 305.

3205.3 Smoking:

Smoking shall be prohibited. *Approved* "No Smoking" signs shall be conspicuously posted in accordance with Section 310.

3205.4 Aisle maintenance:

When restocking is not being conducted, aisles shall be kept clear of storage, waste material and debris. Fire Department access doors, aisles and *exit* doors shall not be obstructed. During restocking operations using manual stocking methods, a minimum unobstructed aisle width of 24 inches (610 mm) shall be maintained in 48-inch (1219 mm) or smaller aisles, and a minimum unobstructed aisle width of one-half of the required aisle width shall be maintained in aisles greater than 48 inches (1219 mm). During mechanical stocking operations, a minimum unobstructed aisle width of 44 inches (1118 mm) shall be maintained in accordance with Section 3206.9.

I hereby certify that I have completed this questionnaire, I am an authorized agent of the named business, and I know the information contained herein to be true and correct.

Name (please print): _____

Signature: _____ **Date:** _____